

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6417533	transcod\$5 or interpret\$5 or cod\$5 or struct\$5 or sequenc\$5 or translat\$5 or encod\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:50
S2	5469506	messsag\$5 or signal\$5 or data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:50
S3	11817431	field or type or bin or section or portion or part or pars\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:51
S4	6872264	cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:53
S5	6806295	transmit\$5 or transmission or send\$5 or transfer\$5 or deliver\$5 or provid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:54
S6	1445069	destination or client or subscter or user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:54
S7	9214197	device or computer or PALM or PDA or phone or mobile or terminal or workstation or station	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:55
S8	3489872	source or server or master or host or company or provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:55
S9	4877027	receiv\$5 or collect\$5 or reception	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:02
S10	4493250	deriv\$5 or caluclat\$5 or determin\$5 or justif\$5 or configur\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:57

S11	5584024	second or subsequent or next	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:57
S12	3643262	maintain\$5 or keep\$5 or unalter or unmodif\$5 or unchang\$5 or original	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:58
S13	5876931	first or initial or primary or orignal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:58
S14	4511469	change\$5 or modif\$5 or alter\$5 or updat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:59
S15	800617	omit\$5 or ignor\$5 or delet\$5 or skip\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:59
S16	10328569	cod\$5 or key\$5 schem\$5 or encrypt\$5 or cipher\$5 or function\$5 or algorithm or method or schem\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:01
S17	253673	(transcod\$5 or interpret\$5 or cod\$5 or struct\$5 or sequenc\$5 or translat\$5 or encod\$5) with (messsag\$5 or signal\$5 or data) with (field or type or bin or section or portion or part or pars\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:12
S18	1045321	(cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (field or type or bin or section or portion or part or pars\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:21
S19	178698	(transmit\$5 or transmission or send\$5 or transfer\$5 or deliver\$5 or provid\$5) with (destination or client or subscter or user) with (device or computer or PALM or PDA or phone or mobile or terminal or workstation or station)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:26

S20	985558	(device or computer or PALM or PDA or phone or mobile or terminal or workstation or station) with (source or server or master or host or company or provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:31
S21	15790	(deriv\$5 or caluclat\$5 or determin\$5 or justif\$5 or configur\$5) with (cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (maintain\$5 or keep\$5 or unalter or unmodif\$5 or unchang\$5 or original)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:34
S22	41956	(deriv\$5 or caluclat\$5 or determin\$5 or justif\$5 or configur\$5) with (cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (change\$5 or modif\$5 or alter\$5 or updat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:41
S23	8998	(deriv\$5 or caluclat\$5 or determin\$5 or justif\$5 or configur\$5) with (cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (omit\$5 or ignor\$5 or delet\$5 or skip\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 14:46

S24	64	((transcod\$5 or interpret\$5 or cod\$5 or struct\$5 or sequenc\$5 or translat\$5 or encod\$5) with (messsag\$5 or signal\$5 or data) with (field or type or bin or section or portion or part or pars\$5)) and ((cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (field or type or bin or section or portion or part or pars\$5)) and ((transmit\$5 or transmission or send\$5 or transfer\$5 or deliver\$5 or provid\$5) with (destination or client or subscber or user) with (device or computer or PALM or PDA or phone or mobile or terminal or workstation or station)) and ((deriv\$5 or caluclat\$5 or determin\$5 or justif\$5 or configur\$5) with (cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (maintain\$5 or keep\$5 or unalter or unmodif\$5 or unchang\$5 or original)) and ((deriv\$5 or caluclat\$5 or determin\$5 or justif\$5 or configur\$5) with (cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (change\$5 or modif\$5 or alter\$5 or updat\$5)) and ((deriv\$5 or caluclat\$5 or determin\$5 or justif\$5 or configur\$5) with (cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (omit\$5 or ignor\$5 or delet\$5 or skip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 15:27
S25	10962	((transcod\$5 or interpret\$5 or cod\$5 or struct\$5 or sequenc\$5 or translat\$5 or encod\$5) with (messsag\$5 or signal\$5 or data) with (field or type or bin or section or portion or part or pars\$5)) and ((cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (field or type or bin or section or portion or part or pars\$5)) and ((transmit\$5 or transmission or send\$5 or transfer\$5 or deliver\$5 or provid\$5) with (destination or client or subscber or user) with (device or computer or PALM or PDA or phone or mobile or terminal or workstation or station))) and @ad<"19991214"	USPAT	OR	ON	2004/07/21 15:29

S26	78	transcod\$5 and (hash\$ with function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 15:29
S27	17	(((((transcod\$5 or interpret\$5 or cod\$5 or struct\$5 or sequenc\$5 or translat\$5 or encod\$5) with (messsag\$5 or signal\$5 or data) with (field or type or bin or section or portion or part or pars\$5)) and ((cod\$5 or key\$5 or identif\$5 or ID or nam\$5 or tag\$5 or mark\$5) with (field or type or bin or section or portion or part or pars\$5)) and ((transmit\$5 or transmission or send\$5 or transfer\$5 or deliver\$5 or provid\$5) with (destination or client or subscriber or user) with (device or computer or PALM or PDA or phone or mobile or terminal or workstation or station)))) and @ad<"19991214") and (transcod\$5 and (hash\$ with function))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 15:29
S28	7	("6072870").URPN.	USPAT	OR	ON	2005/02/18 13:33
S29	95074	(determin\$5 or evaluat\$5 or act or acting) with (field or stream or bit or byte or segment of portion or section) with (maintain\$4 or keep\$4 or stor\$4 or memor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:35
S30	9627	(determin\$5 or evaluat\$5 or act or acting) with (field or stream or bit or byte or segment of portion or section) with (omit\$4 or delet\$5 or destroy\$5 or eras\$4 or disgard\$4 or discard\$4 or disregard\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:36
S31	55805	(determin\$5 or evaluat\$5 or act or acting) with (field or stream or bit or byte or segment of portion or section) with (modif\$4 or alter\$4 or enhanc\$4 or chang\$4 or updat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:37
S32	797	S29 and S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:38
S33	1338239	(transcod\$4 or code or coding or partition\$4 or section\$4 or separat\$4 or segment\$4 or format\$4) with (data or information or messag\$4 or signal\$4 or email\$4 or request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:39

S34	0	S28 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:43
S35	0	S32 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:44
S36	35	("5889863").URPN.	USPAT	OR	ON	2005/02/18 13:40
S37	6	("5943424").URPN.	USPAT	OR	ON	2005/02/18 13:41
S38	12	("5987132").URPN.	USPAT	OR	ON	2005/02/18 13:41
S39	9	("6163772").URPN.	USPAT	OR	ON	2005/02/18 13:41
S40	0	("6845364").URPN.	USPAT	OR	ON	2005/02/18 13:41
S41	9	("6163772").URPN.	USPAT	OR	ON	2005/02/18 13:42
S42	2	("6363363").URPN.	USPAT	OR	ON	2005/02/18 13:42
S43	53	(S36 or S37 or S38 or S39 or S40 or S41 or S42)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:43
S44	0	S43 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:44
S45	0	S33 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:44
S46	45	S43 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 13:54